3

PHARMACOPŒIA

OF

St. Bartholomew's Hospital.

ROYAL

LONDON:

PRINTED BY J. E. ADLARD,

BARTHOLOMEW CLOSE.

1869.

Medical Officers of the Hospital.

Consulting Physician—DR. BURROWS.

Consulting Surgeons.

MR. SKEY. | MR. WORMALD.

Physicians.

DR. FARRE. | DR. HARRIS.
DR. BLACK. | DR. ANDREW.

Surgeons.

MR. PAGET. | MR. HOLDEN.
MR. COOTE. | MR. SAVORY.

Assistant Physicians.

DR. SOUTHEY. | DR. GEE.
DR. CHURCH. | DR. DUCKWORTH.

Assistant Surgeons.

MR. CALLENDER. | MR. WILLETT.
MR. SMITH. | MR. LANGTON.

Physician-Accoucheur—DR. GREENHALGH.

Surgeon-Dentist—MR. COLEMAN.

PREFACE.

THE object of this Pharmacopœia is to describe certain medicinal preparations and compounds which are frequently employed in St. Bartholomew's Hospital, but are not contained in the British Pharmacopœia.

The substances named in these preparations have been taken, with very few exceptions, from the British Pharmacopœia of 1867; and the weights and measures employed are such as are authorised in that work.

The adoption of the English language in the British Pharmacopœia justifies the use of the same language in this Hospital Phar-

macopœia; but the medicines themselves are designated, as they also are in the British Pharmacopœia, by a Latin as well as by an English name, for the convenience of prescription.

A Table has been appended of the Doses of Officinal Medicines recommended in the British Pharmacopœia, which will probably be found a useful and convenient addition.

CONTENTS.

PAGE

Medical Officers of the Hospital . . . iii

Preface v

Substances employed in the Hospital Preparations, but not contained in the British Pharmaeopœia viii

List of new Preparations contained in the present Pharmacopœia ix

List of Preparations whose name has been altered xiii

List of Preparations whose composition has been altered xiv

The Pharmacopœia 1

Diet Table 54

Table of Doses of Officinal Medicines, from the 'British Pharmacopœia' . . . 56

Index 67

Substances employed in the Hospital Preparations, but not contained in the British Pharmacopœia.

Cape Aloes.

Commercial Extract of Liquorice.

Oil of Cassia.

Oil of Marjoram.

Sea-salt.

Size (gluten).

NEW PREPARATIONS

Contained in the present Pharmacopœia.

Aqua Carui.
—— Caryophylli.
—— Cassiæ.
—— Menthæ Piperitæ.
—— Menthæ Viridis.
Balneum Acidum.
———— Alkalinum.
———— Calidum.
———— Creasoti.
———— Glutinis.
———— Marinum.
———— Sulphureum.
———— Tepidum.
Confectio Boracis.
Decoctum Aloes Compositum.
———— Hemidesmi Compositum.

Enema Olei Ricini.
Fotus Belladonnæ.
—— Papaveris.
Gargarisma Aluminis Compositum.
Glycerinum Acidi Gallici.
Haustus Acidi Gallici.
——— Acidi Hydrocyanici.
——— Acidi Nitro-hydrochlorici.
——— Ætheris Ammoniatus.
——— Calumbæ Compositus.
——— Ferri et Ammoniæ Citratis.
——— Gentianæ cum Rheo.
——— Gentianæ cum Senna.
——— Hemidesmi cum Potassii Iodido.
——— Olei Morrhuæ.
——— Olei Morrhuæ Alkalinus.
——— Olei Ricini.
——— Olei Ricini Alkalinus.
——— Potassæ Chloratis.
——— Potassæ Effervescens.
——— Potassii Iodidi Ammoniatus.
——— Quassiæ cum Ferro.
——— Quiniæ cum Ferro.
——— Sodæ Tartratis.
——— Valerianæ cum Hyoscyamo.

austus Zinci Emeticus.
inctus cum Ipecacuanha.
otio Aceti.
— Acidi Carbolici.
— Acidi Sulphurosi.
— Aluminis Composita.
— Aluminis Mitissima.
— Atropiæ Sulphatis.
— Boracis cum Potassæ Chlorate.
— Cupri Sulphatis.
— Ferri Sulphatis.
— Hydrargyri Perchloridi.
— Plumbi Acetatis.
— Potassæ Permanganatis.
— Zinci Sulphatis Mitior.
Oleum Carbolatum.
Pilula Aloes cum Nuce Vomica.
— Creasoti.
— Creasoti cum Assafœtida.
— Ferri Redacti.
— Hydrargyri Perchloridi cum Belladonna.
Potassa cum Calce.
Pulvis Cretæ Aromaticus cum Rheo.
Spiritus Ammoniæ Aromaticus.

Spiritus Ammoniæ Fœtidus.
——— Carui.
——— Caryophylli.
——— Cassiæ.
——— Menthæ Piperitæ.
——— Menthæ Viridis.
Syrupus Papaveris.
——— Rhœados.
Vinum Ipecacuanhæ.

Preparations whose Name has been altered in the present Pharmacopœia.

Pharmacopœia 1861.	Pharmacopœia 1869.
llyrium Aluminis.	Lotio Aluminis Mitior.
— Argenti Nitratis.	— Argenti Nitratis Mitior.
nfectio Cinchonæ.	Confectio Cinchonæ Flavæ.
— Ferri Potassio-tartratis.	— Ferri Tartarati.
— Jalapæ Composita.	— Jalapæ.
— Potassæ Bitartratis.	— Potassæ Tartratis Acidæ.
— Sulphuris Composita	— Sulphuris.
ecoctum Sarsæ Compositum.	Decoctum Hemidesmi Compositum.
rgarisma Acidi Acetici.	Gargarisma Aceticum.
— Acidi Hydrochlorici.	— Hydrochloricum
austus Aromaticus.	Haustus Cretæ Aromaticus.
— Aromaticus cum Rheo.	— Cretæ Aromaticus cum Rheo.
— Cinchonæ Compositus	— Cinchonæ Acidus.
— Colchici Compositus.	— Colchici.
— Cretæ Compositus	— Cretæ Aromaticus cum Opio.
— Emeticus.	— Ipecacuanhæ Emeticus
— Sodæ Tartratis.	— Sodæ Effervescens
Linimentum Plumbi cum Oleo.	Linimentum Plumbi.
Lotio Hydrargyri Bichloridi Amygdalina.	Lotio Hydrargyri Perchloridi Hydrocyanica.
— Potassii Sulphureti.	— Potassæ Sulphuratæ.
inum Ferri.	Liquor Ferri Tartarati

Preparations whose Composition has b[illegible] altered in the present Pharmacopœia.

Confectio Aluminis	Treacle *for* Confection of R[illegible]
— Jalapæ	30 gr. Compound Jalap P[illegible]wd *for* about 7 gr. Jalap and [illegible] gr Bitartrate of Potash.
Gargarisma Capsici	10 min. Tincture of Capsicu[illegible] *for* 15 min.
— Sodæ Chloratæ	30 min. Solution of Chlor[illegible]nate Soda *for* 20 min.
Haustus Aloes et Camphoræ	2 gr. Cape Aloes *for* 3 gr.
— Ammoniæ Acetatis cum Scilla.	20 min. Vinegar of Squ[illegible] 30 min.
— Camphoræ Fœtidus	15 min. Fetid Spirit of Am[illegible]monia *for* 20 min. Co[illegible] Tinct. of Cardamoms *omitte*
— Cascarillæ cum Scilla	Tincture of Squill *for* Vineg[illegible] of Squill.
— Cinchonæ Acidus	Infusion of Roses [illegible]*itted.*
— Colchici	15 min. Tincture of Colchicu[illegible] *for* 20 min.
— Copaibæ Compositus	30 gr. Cubebs *for* 60 gr.
— Cretæ Aromaticus cum Opio.	Aromatic Powder of Chalk a[illegible] Opium *for* Pulvis Cret[illegible] Compositus *Ph. Lond.*
— Rhei cum Magnesia	30 gr Compound Rhubarb Pow[illegible]der *for* 10 gr. Rhubarb and 1[illegible] gr. Carbonate of Magnesia.
— Terebinthinæ	20 min. Oil of Turpentine *f*[illegible] 30 min.
Liquor Ferri Tartarati (Vinum Ferri, 1861).	8 gr Tartarated Iron *for* 10 gr
Lotio Hydrargyri Perchloridi Hydrocyanica.	Glycerine and Hydrocyan[illegible]c Acid *for* Bitter Almonds.
— Quercus Composita	4 gr. Sulphate of Zinc and 4 gr Alum *for* 8 gr. Alum
Pilula Ferri Fœtida	8 gr. Saccharated Carb. of Iro[illegible] *for* 2 gr Peroxide of Iron.

The Draughts have been, with very few exceptions, reduced in quantity from 1½ ounces to 1 ounce.

PHARMACOPŒIA.

AQUA CARUI.

CARAWAY WATER.

Take of

Spirit of Caraway		30 minims,
Distilled Water	..	to 1 pint.

Mix.

It contains 1½ minims of oil of caraway.

AQUA CARYOPHYLLI.

CLOVE WATER.

Take of

Spirit of Cloves	...	30 minims.
Distilled Water	.	to 1 pint.

Mix.

It contains 1½ minims of oil of cloves.

AQUA CASSIÆ.

CASSIA WATER.

Take of

Spirit of Cassia	...	30 minims.
Distilled Water	.	to 1 pint.

Mix.

It contains 1½ minims of oil of cassia.

AQUA MENTHÆ PIPERITÆ.

PEPPERMINT WATER.

Take of

Spirit of Peppermint	.	30 minims.
Distilled Water	.	to 1 pint.

Mix.

It contains 1½ minims of oil of peppe
mint.

AQUA MENTHÆ VIRIDIS.

SPEARMINT WATER.

Take of

Spirit of Spearmint	...	30 minims.
Distilled Water	.	to 1 pint.

Mix.

It contains 1½ minims of oil of spearmin

BALNEUM ACIDUM.

ACID BATH.

Take of

Nitric Acid	... ...	1½ fl. ounces,
Hydrochloric Acid	...	1 fl. ounce,
Water ...	... ...	30 gallons.

Mix.

BALNEUM ALKALINUM.

ALKALINE BATH.

Take of

Carbonate of Soda	...	8 ounces,
Water ...	... ...	30 gallons.

Dissolve.

BALNEUM CALIDUM.

WARM BATH.

Take of

Water at 96°	... ...	30 gallons.

BALNEUM CREASOTI.

CREASOTE BATH.

Take of

Creasote	... ...	¼ fl. ounce,
Glycerine	... ...	2 fl. ounces,
Water ...	... ...	30 gallons.

Mix.

BALNEUM GLUTINIS.

SIZE BATH.

Take of

Size	8 pounds.
Boiling Water	1 gallon.

Mix and add

Water	to 30 gallons

BALNEUM MARINUM.

SALT-WATER BATH.

Take of

Sea-Salt	9 pounds.
Water	30 gallons.

Dissolve.

BALNEUM SULPHUREUM.

SULPHUR BATH.

Take of

Sulphurated Potash ..	8 ounces,
Water	30 gallons.

Dissolve.

BALNEUM TEPIDUM.

TEPID BATH.

Take of

Water at 90°	30 gallons.

CERATUM SIMPLEX.

SIMPLE CERATE.

ake of

Yellow Wax	...	... $\frac{1}{4}$ ounce,
Prepared Lard	...	$\frac{3}{4}$ ounce.

elt together.

CONFECTIO ALUMINIS.

CONFECTION OF ALUM.

ake of

Alum in powder	...	120 grains,
Treacle... ...	...	to 1 fl. ounce.

ix.

Dose.—1 to 2 teaspoonfuls, containing 15 30 grains of alum.

CONFECTIO BORACIS.

CONFECTION OF BORAX.

ake of

Borax in powder	...	64 grains,
Treacle. ...	...	to 1 fl. ounce.

ix.

CONFECTIO CINCHONÆ FLAVÆ.

CONFECTION OF YELLOW CINCHONA.

Synonym.—Confectio Cinchonæ, 1861.

Take of

Yellow-Cinchona Bark in fine powder	...	80 grains,
Ginger in powder	...	8 grains,
Treacle		to 1 fl. ounce.

Mix.

Dose.—2 teaspoonfuls, containing 2 grains of yellow-cinchona bark.

CONFECTIO FERRI TARTARATI.

CONFECTION OF TARTARATEO IRON.

Synonym.—Confectio Ferri Potassio-tartratis, 1861.

Take of

Tartarated Iron	...	30 grains.
Acid Tartrate of Potash		180 grains,
Ginger in powder	...	5 grains,
Treacle	...	to 1 fl. ounce.

Mix.

Dose.—2 teaspoonfuls, containing 7 grains of tartarated iron and 45 grains of acid tartrate of potash.

CONFECTIO JALAPÆ.

CONFECTION OF JALAP.

Synonym.—Confectio Jalapæ Composita, 1861.

Take of

Compound Powder of Jalap	... ...	120 grains,
Treacle...	... ...	to 1 fl. ounce.

Mix.

Dose.—2 to 4 teaspoonfuls, containing 30 to 60 grains of compound jalap powder.

CONFECTIO POTASSÆ TARTRATIS ACIDÆ.

CONFECTION OF ACID TARTRATE OF POTASH.

Synonym.—Confectio Potassæ Bitartratis, 1861.

Take of

Acid Tartrate of Potash	... ...	240 grains,
Ginger in powder	...	5 grains,
Treacle...	. . ..	to 1 fl. ounce.

Mix.

Dose.—1 to 2 teaspoonfuls, containing 30 to 60 grains of acid tartrate of potash.

CONFECTIO SULPHURIS.

CONFECTION OF SULPHUR.

Synon.—*Confectio Sulphuris Composita*, 1861

Take of

Sublimed Sulphur	...	200 grains,
Acid Tartrate of Potash		50 grains,
Treacle...	... ...	to 1 fl. ounce.

Mix.

Dose.—1 to 2 teaspoonfuls, containing 25 to 50 grains of sulphur and 6¼ to 12½ grains of acid tartrate of potash.

DECOCTUM ALOES COMPOSITUM.

COMPOUND DECOCTION OF ALOES.

Take of

Cape Aloes in powder	.	120 grains,
Myrrh in powder	...	90 grains,
Carbonate of Potash	...	60 grains.
Commercial Extract of Liquorice	... ...	1 ounce,
Tincture of Ginger	..	¾ fl. ounce.
Rectified Spirit	...	3 fl. ounces.
Distilled Water	...	a sufficiency.

Boil the solids for five minutes in a pint

the water; cool, and add the spirit. Then rain, and add through the strainer sufficient water to make 30 fluid ounces.

Dose.—½ to 2 fluid ounces, containing 2 to grains of Cape aloes and 1½ to 6 grains of myrrh.

DECOCTUM HEMIDESMI COMPOSITUM.

COMPOUND DECOCTION OF HEMIDESMUS.

Synon.—*Decoctum Sarsæ Compositum*, 1861.

Take of

Hemidesmus Root ...	2½ ounces,
Sassafras Root in chips Guaiacum Wood turnings ... ... Commercial Extract of Liquorice	each ¼ ounce,
Mezereon Bark ...	60 grains,
Boiling Distilled Water	1½ pints.

Digest and boil down to 1 pint.

Dose.—1 fluid ounce.

ENEMA OLEI RICINI.

ENEMA OF CASTOR OIL.

Take of

Castor Oil	... ...	2 fl. ounces.
Mucilage of Starch	...	18 fl. ounces.

Mix.

ENEMA SAPONIS.

ENEMA OF SOAP.

Take of

Soft Soap	... ...	¾ ounce.
Warm Water	... ...	1 pint.

Mix.

ENEMA SODII CHLORIDI.

ENEMA OF COMMON SALT.

Take of

Common Salt	... ...	1 ounce,
Decoction of Barley	...	1 pint.

Dissolve.

FOTUS BELLADONNÆ.

BELLADONNA FOMENTATION.

Take of

Extract of Belladonna		3 grains.
Water	... .	1 fl ounce.

Mix and filter.

FOTUS PAPAVERIS.

POPPY FOMENTATION.

ke of

Bruised Poppy Capsules without seeds .	3 ounces,
Water	2 pints.

oil for 10 minutes and strain.

GARGARISMA ACETICUM.

ACETIC GARGLE.

Synonym.—Gargarisma Acidi Acetici, 1861.

ake of

Acetic Acid	15 minims,
Oxymel ...	30 minims,
Distilled Water ...	to 1 fl. ounce.

lix.

GARGARISMA ALUMINIS.

ALUM GARGLE.

Synonym.—Lotio Aluminis (page 34).

ARGARISMA ALUMINIS COMPOSITUM.

COMPOUND ALUM GARGLE.

ake of

Alum	16 grains,
Tincture of Myrrh ...	15 minims,
Distilled Water ...	to 1 fl. ounce.

lix

GARGARISMA CAPSICI.

CAPSICUM GARGLE.

Take of

Tincture of Capsicum .	10 minims.
Diluted Sulphuric Acid	6 minims,
Decoction of Pale Cinchona	to 1 fl. ounce

Mix.

GARGARISMA HYDROCHLORICUM.

HYDROCHLORIC GARGLE.

Synonym.—Gargarisma Acidi Hydrochlorici, 1861.

Take of

Diluted Hydrochloric Acid	15 minims.
Decoction of Pale Cinchona	to 1 fl. ounce

Mix.

GARGARISMA SODÆ CHLORATÆ.

CHLORINE GARGLE.

Synonyms.—Lotio Sodæ Chloratæ page 40 *Gargarisma Sodæ Chlorinatæ.* 1861.

GLYCERINUM ACIDI GALLICI.

GLYCERINE OF GALLIC ACID.

ake of

Gallic Acid	...	40 grains,
Rectified Spirit	...	2 fl. drachms,
Glycerine	...	to 1 fl. ounce.

issolve and mix.

HAUSTUS ACIDI GALLICI.

DRAUGHT OF GALLIC ACID.

ake of

Glycerine of Gallic Acid	...	1 fl. drachm,
Distilled Water	...	7 fl. drachms.

Iix.

It contains 5 grains of gallic acid.

HAUSTUS ACIDI HYDROCYANICI.

DRAUGHT OF HYDROCYANIC ACID.

ake of

Diluted Hydrocyanic Acid	...	4 minims,
Bicarbonate of Soda	...	5 grains,
Distilled Water	...	to 1 fl. ounce.

Dissolve and Mix.

HAUSTUS ACIDI NITRO-HYDROCHLORIC

DRAUGHT OF NITRO-HYDROCHLORIC ACID.

Take of

Diluted Nitro-hydrochloric Acid	...	10 minims.
Tincture of Orange Peel		20 minims,
Spirit of Chloroform	...	10 minims.
Distilled Water	...	to 1 fl. ounce

Mix.

HAUSTUS ÆTHERIS AMMONIATUS.

AMMONIATED ETHER DRAUGHT.

Take of

Spirit of Ether ...	} each	½ fl. drachm
Aromatic Spirit of Ammonia ...		
Distilled Water	...	7 fl. drachms

Mix.

HAUSTUS ALOES ET CAMPHORÆ.

DRAUGHT OF ALOES AND CAMPHOR.

Take of

Compound Decoction of Aloes	} each	½ fl. ounce
Camphor Water ...		

Mix.

It contains 2 grains of Cape aloes.

HAUSTUS AMMONIACI FŒTIDUS.

FETID AMMONIACUM DRAUGHT.

ke of

Fetid Spirit of Ammonia	15 minims,
Ammoniacum Mixture	to 1 fl. ounce.

ix.

HAUSTUS AMMONIÆ ACETATIS.

DRAUGHT OF ACETATE OF AMMONIA.

ke of

Solution of Acetate of Ammonia... ...	each ½ fl. ounce.
Distilled Water ...	

ix.

HAUSTUS AMMONIÆ ACETATIS CUM MAGNESIÆ SULPHATE.

DRAUGHT OF ACETATE OF AMMONIA AND SULPHATE OF MAGNESIA.

ake of

Sulphate of Magnesia	60 grains,
Draught of Acetate of Ammonia	to 1 fl. ounce.

issolve.

HAUSTUS AMMONIÆ ACETATIS CUM SCILLA.

DRAUGHT OF ACETATE OF AMMONIA AND SQUILL

Take of

Vinegar of Squill ...	20 minims.
Draught of Acetate of Ammonia	to 1 fl. ounce.

Mix.

HAUSTUS AMMONIÆ ACETATIS ET CAMPHORÆ.

DRAUGHT OF ACETATE OF AMMONIA AND CAMPHOR.

Take of

Solution of Acetate of Ammonia	2 fl. drachms.
Camphor Water ...	6 fl. drachms.

Mix.

HAUSTUS AMYGDALÆ.

ALMOND DRAUGHT.

Take of

Almond Oil .	each 2 fl. drachms
Mucilage of Gum-Acacia	each 2 fl. drachms
Distilled Water	1 fl. ounce.

Mix.

.USTUS ANTIMONII CUM MAGNESIÆ SULPHATE.

DRAUGHT OF ANTIMONY AND SULPHATE OF MAGNESIA

lke of

Tartarated Antimony	$\frac{1}{8}$ grain,
Sulphate of Magnesia	60 grains,
Distilled Water ..	to 1 fl. ounce.

ssolve.

HAUSTUS CALUMBÆ ALKALINUS.

ALKALINE DRAUGHT OF CALUMBA.

ke of

Bicarbonate of Soda ...	10 grains.
Tincture of Orange-Peel	30 minims,
Infusion of Calumba ...	to 1 fl. ounce.

ssolve and mix.

HAUSTUS CALUMBÆ COMPOSITUS.

COMPOUND DRAUGHT OF CALUMBA.

ke of

Tincture of Calumba. .	30 minims,
Bicarbonate of Soda...	10 grains.
Infusion of Orange-Peel ...	to 1 fl. ounce.

ssolve and mix.

HAUSTUS CAMPHORÆ FŒTIDUS.

FETID CAMPHOR DRAUGHT.

Take of

Fetid Spirit of Ammonia	... ...	15 minims,
Camphor Water	...	to 1 fl. ounce.

Mix.

HAUSTUS CASCARILLÆ CUM SCILLA.

DRAUGHT OF CASCARILLA AND SQUILL.

Take of

Tincture of Squill	15 minims.
Infusion of Cascarilla	to 1 fl. ounce.

Mix.

HAUSTUS CINCHONÆ ACIDUS.

ACID CINCHONA DRAUGHT.

Synon.—Haustus Cinchonæ Compositus. 186

Take of

Diluted Sulphuric Acid		10 minims,
Decoction of Pale Cinchona	... ...	to 1 fl. ounce

Mix.

HAUSTUS COLCHICI.

COLCHICUM DRAUGHT.

nom.—Haustus Colchici Compositus, 1861

ke of

Tincture of Colchicum Seeds	... ...	15 minims,
Carbonate of Magnesia		10 grains,
Spearmint Water	...	to 1 fl. ounce.

ix.

HAUSTUS COPAIBÆ COMPOSITUS.

COMPOUND COPAIVA DRAUGHT.

ke of

Copaiva	... ...	15 minims,
Mucilage of Gum-Acacia	...	1 fl. drachm,
Cubebs in powder	...	30 grains,
Spirit of Nitrous Ether		15 minims,
Camphor Water	...	to 1 fl. ounce.

ix.

HAUSTUS CRETÆ AROMATICUS.

AROMATIC CHALK DRAUGHT.

Synonym.—Haustus Aromaticus, 1861.

ke of

Aromatic Powder of Chalk	...	30 grains,
Cassia Water	...	to 1 fl. ounce.

ix

HAUSTUS CRETÆ AROMATICUS CUM OPIO.

AROMATIC CHALK DRAUGHT AND OPIUM.

Synonym.—Haustus Cretæ Compositus, 1861.

Take of

Aromatic Powder of Chalk and Opium ...	20 grains,
Cassia Water	to 1 fl. ounce.

Mix.

HAUSTUS CRETÆ AROMATICUS CUM RHEO.

AROMATIC CHALK DRAUGHT AND RHUBARB.

Synon.—Haustus Aromaticus cum Rheo, 1861

Take of

Aromatic Chalk Powder and Rhubarb ...	30 grains,
Cassia Water	to 1 fl. ounce.

Mix.

HAUSTUS FERRI ET AMMONIÆ CITRATIS

DRAUGHT OF CITRATE OF IRON AND AMMONIA.

Take of

Citrate of Iron and Ammonia	8 grains,
Carbonate of Ammonia	2 grains,
Spirit of Chloroform...	10 minims.
Infusion of Quassia	to 1 fl. ounce.

Mix.

HAUSTUS GENTIANÆ CUM RHEO.

DRAUGHT OF GENTIAN AND RHUBARB.

ake of

Infusion of Rhubarb .	½ fl. ounce,
Tincture of Gentian ...	30 minims,
Bicarbonate of Soda ...	10 grains,
Spirit of Chloroform...	10 minims,
Peppermint Water ...	to 1 fl. ounce.

issolve and mix.

HAUSTUS GENTIANÆ CUM SENNA.

DRAUGHT OF GENTIAN AND SENNA.

ake of

Infusion of Senna ...	½ fl. ounce,
Tincture of Ginger ...	20 minims,
Compound Infusion of Gentian	to 1½ fl. ounces.

ix.

HAUSTUS HEMIDESMI CUM POTASSII IODIDO.

DRAUGHT OF HEMIDESMUS AND IODIDE OF POTASSIUM.

ake of

Iodide of Potassium ...	3 grains,
Compound Decoction of Hemidesmus ...	to 1 fl. ounce.

issolve.

HAUSTUS IPECACUANHÆ EMETICUS

EMETIC IPECACUANHA DRAUGHT.

Synonym.—Haustus Emeticus, 1861.

Take of

Wine of Ipecacuanha	}	each ½ fl. ounce
Oxymel of Squill ...		
Distilled Water .		

Mix.

HAUSTUS MAGNESIÆ CUM SODA.

DRAUGHT OF MAGNESIA AND SODA.

Take of

Carbonate of Magnesia	}	each 8 grain
Bicarbonate of Soda ...		
Caraway Water ...		to 1 fl. ounce

Dissolve and mix.

HAUSTUS MENTHÆ SULPHURICUS

SULPHURIC MINT DRAUGHT.

Take of

Diluted Sulphuric Acid	10 minims.
Syrup of Red Poppy	30 minims.
Spearmint Water ...	to 1 fl. ounce

Mix.

HAUSTUS MENTHÆ SULPHURICUS CUM FERRI SULPHATE.

SULPHURIC MINT DRAUGHT WITH SULPHATE OF IRON.

Take of

Sulphate of Iron	...	1 grain,
Spirit of Chloroform	...	10 minims,
Sulphuric Mint Draught		to 1 fl. ounce.

Dissolve and mix.

HAUSTUS MENTHÆ SULPHURICUS CUM MAGNESIÆ SULPHATE.

SULPHURIC MINT DRAUGHT WITH SULPHATE OF MAGNESIA.

Take of

Sulphate of Magnesia		60 grains,
Sulphuric Mint Draught		to 1 fl. ounce.

Dissolve.

HAUSTUS MORPHIÆ CUM FERRO.

DRAUGHT OF MORPHIA AND IRON.

Take of

Hydrochl. of Morphia	.	$\frac{1}{2}$ grain,
Solution of Perchloride of Iron	... ...	15 minims,
Diluted Hydrochloric Acid	... ...	3 minims,
Spirit of Chloroform	...	10 minims,
Distilled Water	..	to 1 fl. ounce.

Mix.

HAUSTUS MORPHIÆ HYDROCHLORATIS

DRAUGHT OF HYDROCHLORATE OF MORPHIA.

Take of

Hydrochlorate of Morphia	$\frac{1}{6}$ grain.
Diluted Hydrochloric Acid	$\frac{1}{3}$ minim.
Distilled Water ...	to 1 fl. ounce.

Mix.

HAUSTUS POTASSÆ CHLORATIS.

DRAUGHT OF CHLORATE OF POTASH.

Take of

Chlorate of Potash .	10 grains.
Boiling Distilled Water	to 1 fl. ounce.

Dissolve.

HAUSTUS OLEI MORRHUÆ.

DRAUGHT OF COD-LIVER OIL.

Take of

Cod-Liver Oil ... ... }	each
Mucilage of Gum Acacia }	2 fl. drachms
Refined Sugar in powder	30 grains.
Caraway Water .	to 1 fl. ounce

Rub together.

HAUSTUS OLEI MORRHUÆ ALKALINUS.

ALKALINE DRAUGHT OF COD-LIVER OIL.

Take of

Cod-Liver Oil...	...	2 fl. drachms,
Solution of Potash	...	15 minims,
Caraway Water	...	to 1 fl. ounce

Mix.

HAUSTUS OLEI RICINI.

DRAUGHT OF CASTOR OIL.

Take of

Castor Oil ...	}	each 2 fl. drachms,
Mucilage of Gum Acacia	}	
Refined Sugar in powder		30 grains,
Caraway Water	...	to 1 fl. ounce.

Rub together.

HAUSTUS OLEI RICINI ALKALINUS.

ALKALINE DRAUGHT OF CASTOR OIL.

Take of

Castor Oil	...	2 fl. drachms,
Solution of Potash	...	15 minims,
Caraway Water	...	to 1 fl. ounce.

Mix.

HAUSTUS POTASSÆ EFFERVESCENS

EFFERVESCING POTASH DRAUGHT

Take of

Bicarbonate of Potash		20 grains,
Distilled Water	...	1 fl. ounce.

Dissolve, and add of

Citric Acid in powder	.	14 grains,
Distilled Water	...	1 fl. ounce.

To be taken during effervescence.

HAUSTUS POTASSII IODIDI AMMONIATUS.

AMMONIATED DRAUGHT OF IODIDE OF POTASSIUM

Take of

Iodide of Potassium	...	3 grains,
Carbonate of Ammonia		2 grains,
Distilled Water	...	to 1 fl. ounce.

Dissolve and mix.

HAUSTUS QUASSIÆ CUM FERRO.

DRAUGHT OF QUASSIA AND IRON

Take of

Solution of Perchloride of Iron	... ...	15 minims.
Infusion of Quassia	...	to 1 fl. ounce.

Mix.

HAUSTUS QUINIÆ CUM FERRO.

DRAUGHT OF QUINIA AND IRON.

ke of

Sulphate of Quinia	...	1 grain,
Sulphate of Iron	...	½ grain,
Spirit of Chloroform	...	10 minims,
Sulphuric Mint Draught	...	to 1 fl. ounce.

ix and dissolve.

HAUSTUS QUINIÆ CUM POTASSII IODIDO.

DRAUGHT OF QUINIA AND IODIDE OF POTASSIUM.

ake of

Sulphate of Quinia	...	2 grains,
Iodide of Potassium	...	5 grains,
Diluted Sulphuric Acid		4 minims,
Distilled Water	...	to 1 fl. ounce.

ix and dissolve.

HAUSTUS QUINIÆ SULPHATIS.

DRAUGHT OF SULPHATE OF QUINIA.

ake of

Sulphate of Quinia	...	1 grain,
Diluted Sulphuric Acid		1½ minims,
Distilled Water	...	to 1 fl. ounce.

ix and dissolve.

HAUSTUS RHEI CUM MAGNESIA.

DRAUGHT OF RHUBARB AND MAGNESIA.

Take of

Compound Rhubarb Powder	... ...	30 grains,
Caraway Water	...	to 1 fl. ounce.

Mix.

It contains about 7 grains of rhubarb and 20 grains of magnesia.

HAUSTUS SCOPARII COMPOSITUS.

COMPOUND BROOM DRAUGHT.

Take of

Tartrate of Potash	...	20 grains,
Spirit of Juniper	...	30 minims.
Decoction of Broom	...	to 1½ fl. ounces

Dissolve and mix.

HAUSTUS SENNÆ COMPOSITUS.

COMPOUND SENNA DRAUGHT.

Take of

Sulphate of Magnesia	.	¼ ounce.
Oil of Peppermint	...	¼ minim,
Infusion of Senna	...	to 1½ fl. ounce.

Dissolve and mix.

HAUSTUS SODÆ EFFERVESCENS

EFFERVESCING SODA DRAUGHT.

Synonym.—*Haustus Sodæ Tartratis*, 1861.

Take of

Bicarbonate of Soda	...	20 grains,
Distilled Water	...	to 1 fl. ounce.

Dissolve, and add of

Tartaric Acid in powder	... ...	17 grains,
Distilled Water	...	to 1 fl. ounce.

To be taken during effervescence.

HAUSTUS SODÆ TARTRATIS.

DRAUGHT OF TARTRATE OF SODA.

Take of

Bicarbonate of Soda	...	20 grains,
Tartaric Acid in powder	... ...	17 grains,
Distilled Water	...	to 1 fl. ounce.

Mix and dissolve. To be taken after effervescence has ceased.

HAUSTUS TEREBINTHINÆ.

TURPENTINE DRAUGHT.

Take of

Oil of Turpentine	...	20 minims.
Mucilage of Gum-Acacia	... ...	2 fl. drachms.
Caraway Water	...	to 1 fl. ounce.

Triturate the mucilage first with the oil, and then with the water added gradually.

HAUSTUS VALERIANÆ CUM HYOSCYAMO.

DRAUGHT OF VALERIAN AND HYOSCYAMUS.

Take of

Ammoniated Tincture of Valerian...	} each	½ fl. drachm
Tincture of Hyoscyamus	}	
Camphor Water	...	7 fl. drachms.

Mix.

HAUSTUS ZINCI EMETICUS.

EMETIC ZINC DRAUGHT.

Take of

Sulphate of Zinc	...	20 grains.
Distilled Water	...	to 1 fl. ounce

Dissolve.

LINCTUS.

LINCTUS.

ke of

Confection of Hips .	100 grains.
Tragacanth in powder	6 grains,
Syrup of Poppies Vinegar of Squill . }	each 36 minims,
Acetic Acid . ..	2 minims,
Boiling Water .	to 1 fl. ounce.

x.

Dose.—1 or 2 teaspoonfuls.

LINCTUS CUM IPECACUANHA.

LINCTUS AND IPECACUANHA.

ıke of

Wine of Ipecacuanha .	30 minims,
Linctus ..	to 1 fl. ounce.

ix.

Dose.—1 teaspoonful, containing nearly minims of wine of ipecacuanha.

LINIMENTUM OPII.

OPIUM LINIMENT.

Take of

Tincture of Opium ...	1 fl. ounce,
Compound Soap Liniment	3 fl. ounces.

Mix.

LINIMENTUM PLUMBI.

LEAD LINIMENT.

Syn.—Linimentum Plumbi cum Oleo, 1861.

Take of

Solution of Subacetate of Lead	½ fl. ounce,
Olive Oil	3½ fl. ounces.

Mix with agitation.

LINIMENTUM SAPONIS COMPOSITUM.

COMPOUND SOAP LINIMENT.

Take of

Soft Soap .. .	300 grains.
Oil of Marjoram ...	6 minims.
Rectified Spirit ...	3 fl. drachms.
Oil of Turpentine ..	1½ fl. drachms
Solution of Ammonia .	1 fl. drachm.
Boiling Distilled Water	to 4 fl. ounces

Mix.

LIQUOR FERRI TARTARATI.

SOLUTION OF TARTARATED IRON.

Synonym.—Vinum Ferri, 1861.

ke of

Tartarated Iron	...	8 grains,
Treacle ..	...	½ fl. drachm, or 40 grains,
Boiling distilled Water		to 1 fl. ounce.

x.

Dose.—1 to 4 teaspoonfuls, containing 1 to grains of tartarated iron.

LOTIO ACETI.

VINEGAR LOTION.

ke of

Vinegar	... ...	½ fl. drachm,
Distilled Water	...	7½ fl. drachms.

ix.

LOTIO ACIDI CARBOLICI.

LOTION OF CARBOLIC ACID.

ke of

Glycerine of Carbolic Acid ...	... ...	15 minims,
Distilled Water	..	to 1 fl. ounce.

ix.

LOTIO ACIDI HYDROCYANICI.

LOTION OF HYDROCYANIC ACID.

Take of

Diluted Hydrocyanic Acid	10 minims,
Distilled Water	to 1 fl. ounce.

Mix.

LOTIO ACIDI SULPHUROSI.

LOTION OF SULPHUROUS ACID.

Take of

Sulphurous Acid Glycerine	each ½ fl. ounce.

Mix.

LOTIO ALUMINIS.

ALUM LOTION.

Take of

Alum in powder	16 grains,
Distilled Water .	to 1 fl. ounce

Dissolve.

LOTIO ALUMINIS COMPOSITA.

COMPOUND ALUM LOTION

Take of

Alum in powder Sulphate of Zinc	each 8 grains.
Distilled Water	to 1 fl. ounce.

Dissolve.

LOTIO ALUMINIS MITIOR.

MILD ALUM LOTION.

Synonym.—Collyrium Aluminis, 1861.

ke of

Alum in powder	8 grains,
Distilled Water	to 1 fl. ounce.

issolve.

LOTIO ALUMINIS MITISSIMA.

WEAKEST ALUM LOTION.

ke of

Alum in powder	4 grains,
Distilled Water	to 1 fl. ounce.

issolve.

LOTIO ARGENTI NITRATIS.

LOTION OF NITRATE OF SILVER.

ke of

Nitrate of Silver	2 grains,
Distilled Water	to 1 fl. ounce.

Dissolve. and keep the solution in a dark ace.

LOTIO ARGENTI NITRATIS MITIOR.

MILD LOTION OF NITRATE OF SILVER.

Synon.—Collyrium Argenti Nitratis, 1861.

Take of

Nitrate of Silver	...	1 grain,
Distilled Water	...	to 1 fl. ounce.

Dissolve, and keep the solution in a dark place.

LOTIO ARNICÆ.

ARNICA LOTION.

Take of

Tincture of Arnica	...	1 fl. drachm.
Lead Lotion ...	...	to 1 fl. ounce.

Mix.

LOTIO ATROPIÆ SULPHATIS.

LOTION OF SULPHATE OF ATROPIA.

Take of

Sulphate of Atropia	...	2 grains.
Distilled Water	..	to 1 fl. ounce

Dissolve.

LOTIO BORACIS CUM POTASSÆ CHLORATE.

LOTION OF BORAX AND CHLORATE OF POTASH.

ake of

Borax in Powder		3 grains,
Chlorate of Potash	...	6 grains,
Distilled Water	...	to 1 fl. ounce.

issolve.

LOTIO CUPRI SULPHATIS.

LOTION OF SULPHATE OF COPPER.

ake of

Sulphate of Copper in powder	... ...	2 grains,
Distilled Water	...	1 fl. ounce.

ssolve.

LOTIO FERRI SULPHATIS.

LOTION OF SULPHATE OF IRON.

ake of

Sulphate of Iron in powder	... ...	2 grains,
Distilled Water	...	to 1 fl. ounce.

ssolve.

LOTIO HYDRARGYRI PERCHLORIDI.

LOTION OF PERCHLORIDE OF MERCURY.

Take of

Perchloride of Mercury	¼ grain,
Distilled Water ...	1 fl. ounce.

Dissolve.

LOTIO HYDRARGYRI PERCHLORIDI HYDROCYANICA.

HYDROCYANIC LOTION OF PERCHLORIDE OF MERCURY.

Synonym. — *Lotio Hydrargyri Bichloridi Amygdalina*, 1861.

Take of

Perchloride of Mercury	½ grain,
Glycerine	2 fl. drachms.
Diluted Hydrocyanic Acid	8 minims.
Distilled Water ..	to 1 fl. ounce.

Dissolve and mix.

LOTIO OPII.

OPIUM LOTION.

Take of

Opium	5 grains,
Boiling Distilled Water	1 fl. ounce.

Rub together and filter.

LOTIO PLUMBI.

LEAD LOTION.

Synonym.—Liquor Plumbi Subacetatis ‡utus, Brit. Pharm.

LOTIO PLUMBI ACETATIS.

LOTION OF ACETATE OF LEAD.

ıke of

Acetate of Lead	...	2 grains,
Diluted Acetic Acid	...	2 minims,
Distilled Water	...	to 1 fl. ounce.

ssolve.

LOTIO PLUMBI CUM OPIO.

LEAD LOTION WITH OPIUM.

ıke of

Extract of Opium	1 grain,
Lead Lotion	1 fl. ounce.

ıb together.

LOTIO POTASSÆ PERMANGANATIS.

LOTION OF PERMANGANATE OF POTASH.

ıke of

Solution of Permanganate of Potash	12 minims,
Distilled Water	to 1 fl. ounce.

ix.

LOTIO POTASSÆ SULPHURATÆ.

SULPHUR LOTION.

Synon.—Lotio Potassii Sulphureti, 1861.

Take of

Sulphurated Potash	...	4 grains,
Distilled Water	...	to 1 fl. ounce.

Dissolve.

LOTIO QUERCUS COMPOSITA.

COMPOUND LOTION OF OAK-BARK.

Take of

Alum in powder	... }	each 4 grains.
Sulphate of Zinc...	... }	
Decoction of Oak-Bark		to 1 fl. ounce.

Dissolve.

LOTIO SODÆ CHLORATÆ.

CHLORINE LOTION.

Take of

Solution of Chlorinated Soda ...	... ...	½ fl. drachm.
Distilled Water	...	7½ fl. drachms.

Mix.

LOTIO ZINCI SULPHATIS.

ZINC LOTION.

Take of

Sulphate of Zinc	.	4 grains,
Distilled Water	.	to 1 fl. ounce.

Dissolve.

LOTIO ZINCI SULPHATIS MITIOR.

MILD ZINC LOTION.

Take of

Sulphate of Zinc	...	1 grain,
Distilled Water	...	1 fl. ounce.

Dissolve.

OLEUM CARBOLATUM.

CARBOLATED OIL.

Take of

Carbolic Acid, liquefied by heat	... ...	48 minims,
Olive Oil	.. .	to 4 fl. ounces

Mix.

PILULA ALOES CUM NUCE VOMICA.

PILL OF ALOES AND NUX VOMICA.

Take of

Pill of Barbadoes Aloes	.. ..	4½ grains,
Extract of Nux Vomica		¼ grain,
Treacle	.. ...	a sufficiency.

Beat together, and form a pill.

PILULA ALOES CUM SAPONE.

ALOES AND SOAP PILL.

Take of

Cape Aloes in powder . } each 2 grains.
Hard Soap in powder . }
Distilled Water ... a sufficiency.

Beat together, and form a pill.

PILULA CAMPHORÆ CUM HYOSCYAMO.

PILL OF CAMPHOR AND HYOSCYAMUS.

Take of

Camphor in powder ... } each 2½ grains.
Extract of Hyoscyamus }

Beat together, and form a pill.

PILULA CAMPHORÆ CUM OPIO.

PILL OF CAMPHOR AND OPIUM.

Take of

Camphor in powder ... 2 grains.
Opium in powder ... ½ grain.

Beat together, and form a pill.

PILULA CREASOTI.

CREASOTE PILL

ake of

Creasote	1 minim,
Crumb of Bread	a sufficiency.

eat together, and form a pill.

ILULA CREASOTI CUM ASSAFŒTIDA.

PILL OF CREASOTE AND ASSAFŒTIDA.

ake of

Creasote	1 minim,
Compound Pill of Assafœtida	each 2 grains.
Compound Rhubarb Pill . ..	each 2 grains.

eat together, and form a pill.

PILULA ELATERII COMPOSITA.

COMPOUND ELATERIUM PILL.

ake of

Elaterium	¼ grain,
Compound Extract of Colocynth	2 grains,
Subchloride of Mercury	1½ grains,
Capsicum Fruit in powder	½ grain,
Treacle...	a sufficiency.

eat together, and form a pill.

PILULA FERRI REDACTI.

IRON PILL.

Take of

Reduced Iron ...	...	3 grains,
Balsam of Peru	...	½ minim,
Starch in powder	...	a sufficiency.

Beat the iron and the balsam together, form a pill, and roll it in the starch.

PILULA FERRI FŒTIDA.

FETID IRON PILL.

Take of

Saccharated Carbonate of Iron	... ..	3 grains,
Compound Assafœtida Pill	... ...	2 grains,
Treacle...	... ...	a sufficiency.

Beat together, and form a pill.

PILULA FERRI SULPHATIS.

PILL OF SULPHATE OF IRON.

Take of

Dried Sulphate of Iron Ginger in powder ...	}	each 1 grain,
Extract of Gentian ...		3 grains.

Beat together, and form a pill.

PILULA HYDRARGYRI CUM CRETA COMPOSITA.

COMPOUND PILL OF MERCURY WITH CHALK.

Take of

Mercury with Chalk... } each 2½ grains,
Compound Powder of Ipecacuanha ... }
Treacle... ... ... a sufficiency.

Beat together, and form a pill.

PILULA HYDRARGYRI CUM CRETA ET RHEI.

PILL OF MERCURY WITH CHALK AND RHUBARB.

Take of

Mercury with Chalk ... } each 2½ grains,
Rhubarb Root in powder .. .. }
Treacle.. .. .. a sufficiency.

Beat together, and form a pill.

PILULA HYDRARGYRI CUM SCILLA.

MERCURIAL PILL AND SQUILL.

Take of

Mercurial Pill. .. 3 grains,
Squill in powder . 1½ grains.

Beat together, and form a pill.

PILULA HYDRARGYRI PERCHLORIDI CUM BELLADONNA.

PILL OF PERCHLORIDE OF MERCURY AND BELLADONNA.

Take of

Perchloride of Mercury	$\frac{1}{12}$ grain,
Extract of Belladonna	$\frac{1}{6}$ grain.
Extract of Gentian ...	4 grains.

Beat together, and form a pill.

PILULA HYDRARGYRI SUBCHLORIDI CUM COLOCYNTHIDE.

PILL OF CALOMEL AND COLOCYNTH.

Take of

Subchloride of Mercury	1 grain,
Compound Extract of Colocynth . .	4 grains.

Beat together, and form a pill.

PILULA HYDRARGYRI SUBCHLORIDI CUM JALAPA.

PILL OF CALOMEL AND JALAP.

Take of

Subchloride of Mercury	1 grain.
Jalap in powder .	4 grains.
Treacle	a sufficiency

Beat together, and form a pill.

PILULA HYDRARGYRI SUBCHLORIDI CUM RHEO.

PILL OF CALOMEL AND RHUBARB.

Take of

Subchloride of Mercury	1 grain,
Rhubarb Root in powder ...	4 grains,
Treacle ...	a sufficiency.

Beat together, and form a pill.

PILULA HYDRARGYRI SUBCHLORIDI CUM SCAMMONIO.

PILL OF CALOMEL AND SCAMMONY.

Take of

Subchloride of Mercury	1 grain,
Scammony in powder	3 grains,
Treacle ...	a sufficiency.

Beat together, and form a pill.

POTASSA CUM CALCE.

CAUSTIC POTASH AND LIME.

Take of

Caustic Potash Lime	} equal parts,
Glycerine	a sufficiency.

Mix.

POTUS POTASSÆ CHLORATIS.

CHLORATE OF POTASH DRINK.

Take of

Chlorate of Potash	...	60 grains.
Boiling Water	...	1 pint.

Dissolve.

POTUS POTASSÆ TARTRATIS ACIDÆ.

CREAM OF TARTAR DRINK.

Take of

Acid Tartrate of Potash	60 grains.
Half the fresh Peel of a Lemon.	
Boiling Water	1 pint.

Dissolve the salt, and infuse in a covered vessel.

PULVIS CRETÆ AROMATICUS CUM RHEO.

AROMATIC CHALK POWDER AND RHUBARB.

Take of

Aromatic Powder of Chalk	...	...	20 grains.
Rhubarb Root in Powder	...	...	10 grains.

Mix.

PULVIS EMETICUS.

EMETIC POWDER.

ake of

Ipecacuanha in powder	20 grains,
Tartarated Antimony in powder	½ grain.

ix.

PULVIS RHEI CUM POTASSÆ SULPHATE.

OWDER OF RHUBARB AND SULPHATE OF POTASH.

ake of

Rhubarb Root in powder	10 grains,
Sulphate of Potash ...	30 grains.

ix.

SPIRITUS AMMONIÆ AROMATICUS

AROMATIC SPIRIT OF AMMONIA.

ake of

Carbonate of Ammonia	8 ounces,
Strong Solution of Ammonia	4 fl. ounces,
Oil of Lemon	2 fl. drachms,
Rectified Spirit ...	5 pints,
Distilled Water ...	to 7 pints.

issolve and mix.

Equal in amount of carbonate of ammo-a to Spiritus Ammoniæ Aromaticus of ae *Brit. Pharm.*

SPIRITUS AMMONIÆ FŒTIDUS.

FETID SPIRIT OF AMMONIA.

Take of

Tincture of Assafœtida	6 fl. ounces.
Rectified Spirit ...	3 fl. ounces.
Strong Solution of Ammonia	1 fl. ounce.

Mix.

Equal in amount of assafœtida and of ammonia to Spiritus Ammoniæ Fœtidus of the *Brit. Pharm.*

SPIRITUS CARUI.

SPIRIT OF CARAWAY.

Take of

Oil of Caraway ...	1 fl. ounce.
Rectified Spirit ...	19 fl. ounces.

Mix.

SPIRITUS CARYOPHYLLI.

SPIRIT OF CLOVES.

Take of

Oil of Cloves	1 fl. ounce.
Rectified Spirit ...	19 fl. ounces.

Mix.

SPIRITUS CASSIÆ.

SPIRIT OF CASSIA.

ke of

Oil of Cassia ...	...	1 fl. ounce,
Rectified Spirit	...	19 fl. ounces.

ix.

SPIRITUS MENTHÆ PIPERITÆ.

SPIRIT OF PEPPERMINT.

ke of

Oil of Peppermint	...	1 fl. ounce,
Rectified Spirit	...	19 fl. ounces.

ix.

SPIRITUS MENTHÆ VIRIDIS.

SPIRIT OF SPEARMINT.

ke of

Oil of Spearmint	...	1 fl. ounce,
Rectified Spirit	...	19 fl. ounces.

ix.

SUPPOSITORIUM OPII.

OPIUM SUPPOSITORY.

ke of

Compound Pill of Soap	12 grains.

ake a suppository.

It contains about 2 grains of dried opium.

SYRUPUS PAPAVERIS.

SYRUP OF POPPIES.

Take of

Poppy Capsules bruised and freed from Seeds	2¼ pounds,
Treacle ...	2 pounds 1 ounce.
Distilled Water at 170°	3 gallons.

Macerate the poppy capsules in the water for 12 hours, draw off and express the liquor. and evaporate it to two pints and a half. then add the treacle.

Equal in strength to Syrupus Papaveris of the *Brit. Pharm.*

SYRUPUS RHŒADOS.

SYRUP OF RED POPPY.

Take of

Dried Red-Poppy Petals	13 ounces,
Treacle	5¼ pounds,
Boiling Distilled Water	5½ pints.

Infuse the petals in the water for 12 hours. draw off and express the liquor. and add the treacle to it.

UNGUENTUM PICIS CUM PLUMBO.

OINTMENT OF TAR AND LEAD.

ake of

Ointment of Tar ...
Ointment of Acetate of Lead ... ... } equal parts.

ix.

VINUM IPECACUANHÆ.

WINE OF IPECACUANHA.

ake of

Ipecacuanha bruised ... 1 ounce,
Sherry ... ... } each 4 fl. ounces.
Rectified Spirit ... }
Distilled Water ... 12 fl. ounces.

Macerate the ipecacuanha in the mixed quids 7 days. Draw off, express, and lter. Then add sufficient water to make 1 int.

Equal in strength to Vinum Ipecacuanhæ f the *Brit. Pharm.*

ST. BARTHO

DI

Meals.	*Full Diet (Meat).*	*Half Diet Me t*
Breakfast.	1 Pint of Tea. Bread and Butter.	1 Pint of Tea Bread and Butter
Dinner.	Half-pound Meat when dressed. Half-pound Potatoes. Bread and Beer.	Quarter-pound Meat w dressed. Half-pound Potatoe Bread and Beer.
Tea.	1 Pint of Tea. Bread and Butter.	1 Pint of Tea Bread and Butter.
Supper.	Bread and Butter. Beer.	Bread and Butter Beer.
Daily Allowances to each Patient.	2 Pints of Tea. 14 Ounces of Bread. Half-pound Meat when dressed. Half-pound Potatoes. 2 Pints Beer (*Men*). 1 Pint Beer (*Women*). 1 Ounce Butter.	2 Pints of Tea 12 Ounces Bread Quarter-pound Meat w dress d. Half-pound Potatoe 1 Pint Beer. 1 Ounce Butter

Extras to be specially ordered,—Mutton Chops, Beef Steak, Be

Each Patient, on Admission, to be placed on Milk

:W'S HOSPITAL.

:ALE.

Broth Diet	*Milk Diet.*	*Low Diet*
1 Pint of Tea.	1 Pint of Tea.	Bread —
Pint and a half Broth nees Potatoes mashed) Bread.	1 Pint and a half Milk, or 1 Pint Milk with Arrow Root, Riee, or Sago Bread.	Broth. Gruel. or Barley Water.
1 Pint of Tea. Bread and Butter.	1 Pint of Tea. Bread and Butter.	as may be ordered
Bread and Butter Gruel.	Bread and Butter Gruel.	
2 Pints of Tea. 12 Ounces Bread Pint and a half Broth. nnces Potatoes (mashed ¾ Ounce Butter Gruel.	2 Pints of Tea. 12 Ounces Bread. 1 Pint and a half Milk, or 1 Pint Milk with Arrow Root, Riee, or Sago. ¾ Ounee Butter Gruel.	Bread — Broth, Gruel, or Barley Water

Children under Nine Years to receive half Allowances

Fea, Fish, Eggs, Pudding, Jelly, Porter, Ale, Wine, or Spirits.

l a Diet is ordered by the Physician or Surgeon

APPENDIX.

TABLE

Of the Ordinary Doses for an Adult of the following Officinal Articles, taken from the British Pharmacopœia of 1867.

Acetum Scillæ . . .	15 to 40 min.
Acidum Gallicum . .	2 to 10 gr.
— Hydrochloricum Dil.	10 to 30 min.
— Hydrocyanicum Dil.	2 to 8 ,,
— Nitricum Dilutum .	10 to 30 ,,
— Nitro-hydrochlor. Dil.	5 to 20 ,,
— Phosphoricum Dilut.	10 to 30 ,,
— Sulphuricum Aromat.	5 to 30 ,,
— Sulphuricum Dilutum	5 to 30 ,,
— Tannicum . . .	2 to 10 gr.
Aloe	2 to 6 ,,
Alumen	10 to 20 ,,
Ammoniæ Benzoas . .	10 to 20 ,,
— Carbonas . . .	3 to 10 ,,
Ammonii Bromidum .	2 to 20 ,,
— Chloridum . .	5 to 20 ,,

Antimonium Tartaratum,		
	diaphoretic	$\frac{1}{16}$ to $\frac{1}{6}$ gr.
— —	*emetic*	1 to 2 „
Argenti Nitras		$\frac{1}{6}$ to $\frac{1}{3}$ „
— Oxidum		$\frac{1}{2}$ to 2 „
Assafœtida		5 to 20 „
Bismuthi Carbonas		5 to 20 „
— Subnitras		5 to 20 „
Borax		5 to 40 „
Calcii Chloridum		10 to 20 „
Calcis Phosphas		10 to 20 „
Camphora		1 to 10 „
Colchici Cormus		2 to 8 „
Confectio Opii		5 to 20 „
— Piperis		60 to 120 „
— Sennæ		60 to 120 „
Copaiba		30 to 60 min.
Creasotum		1 to 3 drops.
Creta præparata		10 to 60 gr.
Cubeba		30 to 120 „
Cupri Sulphas		$\frac{1}{4}$ to 2 „
Decoctum Aloes Compos.		$\frac{1}{2}$ to 2 fl. drs.
— Cinchonæ Pallidæ		1 to 2 „
— Hæmatoxyli		1 to 2 „
— Pareiræ		1 to 2 „

Decoctum Scoparii . .	2 to 4 fl. drs.
— Ulmi . . .	2 to 4 ,,
Digitalis Folia . . .	½ to 1½ gr.
Elaterium . . .	1/16 to ½ ,,
Ergota	20 to 30 ,,
Extractum Aconiti . .	1 to 2 ,,
— Alocs	2 to 6 ,,
— Belæ Liquidum . .	1 to 2 fl. drs.
— Belladonnæ . .	¼ to 1 gr.
— Cinchonæ Pal. Liquid.	10 to 30 min.
— Colchici . . .	½ to 1 gr.
— Colchici Aceticum .	½ to 1 ,,
— Colocynthidis Comp.	3 to 10 ,,
— Conii	2 to 6 ,,
— Ergotæ Liquidum .	10 to 30 min.
— Filicis Liquidum .	15 to 30 ,,
— Hyoscyami . . .	5 to 10 gr.
— Nucis Vomicæ . .	½ to 2 ,,
— Opii Liquidum . .	10 to 40 min.
— Papaveris . . .	2 to 5 gr.
— Physostigmatis . .	1/16 to ¼ ,,
— Stramonii . . .	¼ to ½ ,,
— Taraxaci . . .	5 to 30 ,,
Ferri Carbonas Saccharat.	5 to 20 ,,
— et Ammoniæ Citras .	5 to 10 ,,

Ferri et Quiniæ Citras .	5 to 10 gr.
— Iodidum . . .	1 to 5 ,,
— Peroxidum Hydratum	5 to 30 ,,
— Phosphas . . .	5 to 10 ,,
— Sulphas . . .	1 to 5 ,,
Ferrum Redactum . .	1 to 5 ,,
— Tartaratum . .	5 to 10 ,,
Hydrargyri Iodidum Rubrum . . .	$\frac{1}{16}$ to $\frac{1}{4}$,,
— Iodidum Viride . .	1 to 3 ,,
— Perchloridum . .	$\frac{1}{16}$ to $\frac{1}{8}$,,
— Subchloridum . .	$\frac{1}{2}$ to 5 ,,
Hydrargyrum cum Creta	3 to 8 ,,
Infusum Buchu . .	1 to 4 fl. oz.
— Calumbæ . . .	1 to 2 ,,
— Caryophylli . .	1 to 4 ,,
— Cascarillæ . . .	1 to 2 ,,
— Catechu . . .	1 to 2 ,,
— Chiratæ . . .	1 to 2 ,,
— Cinchonæ Pallidæ .	1 to 2 ,,
— Cusso . . .	4 to 8 ,,
— Digitalis . . .	2 to 4 fl. drs.
— Ergotæ . . .	1 to 2 fl. oz.
— Gentianæ Compositum	1 to 2 ,,
— Quassiæ . . .	1 to 2 ,,

Infusum Rhei . . .	1 to 2 fl. oz.
— Sencgæ . . .	1 to 2 „
— Uvæ Ursi . . .	1 to 2 „
— Valerianæ . . .	1 to 2 „
Ipecacuanha, *expectorant*	½ to 2 gr.
— *emetic*	15 to 30 „
Jalapa	10 to 30 „
Kamala	30 gr. to ¼ oz.
Liquor Ammoniæ Acetatis	2 to 6 fl. drs.
— Ammoniæ Citratis .	2 to 6 „
— Arsenicalis . .	2 to 8 min.
— Arsenici Hydrochlor.	2 to 8 „
— Bismuthi et Ammoniæ Citratis . . .	30 to 60 „
— Calcis . . .	1 to 4 fl. oz.
— Calcis Saccharatus .	15 to 60 min.
— Chlori . . .	10 to 20 „
— Ferri Perchloridi .	10 to 30 „
— Ferri Pernitratis .	10 to 40 „
— Hydrargyr. Perchlor.	30 to 120 „
— Morphiæ Acetatis .	10 to 60 „
— Morphiæ Hydrochlor.	10 to 60 „
— Potassæ . . .	15 to 60 „
— Sodæ Arseniatis .	5 to 10 „
— Sodæ Chloratæ . .	10 to 20 „

Liquor Strychniæ . .	5 to 10 min.
Lithiæ Carbonas . .	3 to 6 gr.
— Citras . . .	5 to 10 „
Magnesia	10 to 60 „
Magnesiæ Carbonas . .	10 to 60 „
— Sulphas . . .	60 gr. to ½ oz.
Mistura Ammoniaci .	½ to 1 fl. oz.
— Creasoti . . .	1 to 2 „
— Cretæ . . .	1 to 2 „
— Ferri Composita .	1 to 2 „
— Guaiaci . . .	½ to 2 „
— Scammonii (*for a child*)	½ to 2 „
Morphiæ Acetas . .	⅛ to ½ gr.
— Hydrochloras . .	⅛ to ½ „
Oleum Crotonis . .	⅓ to 1 min.
— Morrhuæ . . .	1 to 8 fl. drs.
— Ricini . . .	1 to 8 „
— Terebinthinæ . .	10 to 30 min.
— — *anthelmintic*	4 fl. drs.
Opium	½ to 2 gr.
Oxymel Scillæ . . .	½ to 1 fl. drm.
Pilula Aloes Barbadensis	5 to 10 gr.
— Aloes et Assafœtidæ .	5 to 10 „
— Aloes et Ferri . .	5 to 10 „
— Aloes et Myrrhæ .	5 to 10 „

Pilula Aloes Socotrinæ	5 to 10 gr.
— Assafœtidæ Composita	5 to 10 ,,
— Conii Composita	5 to 10 ,,
— Ferri Carbonatis	5 to 20 ,,
— Ferri Iodidi	5 to 8 ,,
— Hydrargyri	3 to 8 ,,
— Hydrargyri Subchloridi Composita	5 to 10 ,,
— Ipecacuanhæ cum Scilla	5 to 10 ,,
— Plumbi cum Opio	3 to 5 ,,
— Rhei Composita	5 to 10 ,,
— Saponis Composita	3 to 5 ,,
— Scillæ Composita	5 to 10 ,,
Plumbi Acetas	1 to 4 ,,
Podophylli Resina	¼ to 1 ,,
Potassæ Acetas	10 to 60 ,,
— Bicarbonas	10 to 40 ,,
— Chloras	10 to 30 ,,
— Citras	20 to 60 ,,
— Nitras	10 to 30 ,,
— Sulphas	15 to 60 ,,
— Tartras	60 gr. to ½ oz.
— Tartras Acida	20 to 60 gr.
Potassii Bromidum	5 to 30 ,,

Potassii Iodidum . .	2 to 10 gr.
Pulvis Antimonialis .	3 to 10 „
— Catechu Compositus	20 to 40 „
— Cretæ Aromaticus .	10 to 60 „
— Cretæ Aromaticus cum Opio . .	10 to 40 „
— Ipecacuanhæ Compos.	5 to 15 „
— Kino Compositus .	5 to 20 „
— Rhei Compositus .	20 to 60 „
— Scammonii Compos. .	10 to 20 „
Quiniæ Sulphas . .	1 to 10 „
Rhei Radix . . .	5 to 20 „
Santoninum . . .	2 to 6 „
Scammonium . . .	5 to 10 „
Scilla	1 to 3 „
Soda Tartarata . .	¼ to ½ oz.
Sodæ Bicarbonas . .	10 to 60 gr.
— Sulphas . . .	¼ to 1 oz.
Spiritus Ætheris . .	30 to 90 min.
— Ætheris Nitrosi .	30 to 120 „
— Ammoniæ Aromaticus	30 to 60 „
— Ammoniæ Fœtidus .	30 to 60 „
— Armoraciæ Compos. .	60 to 120 „
— Chloroformi . .	20 to 60 „
— Juniperi . . .	30 to 60 „

Strychnia . . .	$\frac{1}{30}$ to $\frac{1}{12}$ gr.
Succus Conii . . .	30 to 60 min.
— Scoparii . . .	1 to 2 fl. drs
— Taraxaci . . .	1 to 2 „
Syrupus Aurantii . .	1 „
— Ferri Iodidi . .	$\frac{1}{2}$ to 1 „
— Ferri Phosphatis .	1 „
— Papaveris . . .	1 „
— Rhœados . . .	1 „
— Sennæ . . .	1 to 4 „
— Zingiberis . . .	1 „
Tinctura Aconiti . .	5 to 15 min.
— Aloes . . .	60 to 120 „
— Assafœtidæ . .	30 to 60 „
— Belladonnæ . .	5 to 20 „
— Benzoini Composita .	30 to 60 „
— Calumbæ . . .	30 to 120 „
— Camphoræ Composita	15 to 60 „
— Cannabis Indicæ .	5 to 20 „
— Cantharidis . .	5 to 20 „
— Capsici . . .	10 to 20 „
— Cascarillæ . . .	30 to 120 „
— Catechu . . .	30 to 120 „
— Cinchonæ Composita	30 to 120 „
— Cinchonæ Flavæ .	30 to 120 „

Tinctura Cinchonæ Pallidæ	30 to 120	min.
— Colchici Seminum .	10 to 30	„
— Conii . . .	20 to 60	„
— Digitalis . . .	10 to 30	„
— Ergotæ . . .	10 to 60	„
— Ferri Acetatis . .	5 to 30	„
— Ferri Perchloridi .	10 to 30	„
— Gentianæ Composita	30 to 120	„
— Guaiaci Ammoniata .	30 to 120	„
— Hyoscyami . .	30 to 60	„
— Iodi	5 to 20	„
— Jalapæ . . .	30 to 120	„
— Kino	30 to 120	„
— Lobeliæ . . .	10 to 30	„
— Lobeliæ Ætheria .	10 to 30	„
— Lupuli . . .	30 to 60	„
— Myrrhæ . . .	30 to 60	„
— Nucis Vomicæ . .	10 to 20	„
— Opii	5 to 40	„
— Rhei, *stomachic*	1 to 2	fl. drs.
— — *purgative*	4 to 8	„
— Scillæ . . .	10 to 30	min.
— Sennæ . . .	1 to 4	fl. drs.
— Stramonii . . .	10 to 30	min.
— Valerianæ . . .	60 to 120	„

Tinctura Valerianæ Ammoniata . .		30 to 60 min.
— Veratri Viridis . .		5 to 20 ,,
— Zingiberis . . .		15 to 60 ,,
Vinum Antimoniale .		5 to 60 ..
— Colchici . . .		10 to 30 ,,
— Ferri		1 to 4 fl. drs
— Ipecacuanhæ,	*expectorant*	5 to 40 min.
— —	*emetic*	3 to 6 fl. drs.
Zinci Oxidum . . .		2 to 10 gr.
— Sulphas,	*tonic*	1 to 3 ..
— —	*emetic*	20 to 30 ..

INDEX.

The Names printed in italics are Synonyms employed in the Pharmacopœia of 1861.

PAGE

Aqua Carui 1
—— Caryophylli 1
—— Cassiæ 2
—— Menthæ Piperitæ 2
—— Menthæ Viridis 2
Balneum Acidum 3
——— Alkalinum 3
——— Calidum 3
——— Creasoti 3
——— Glutinis 4
——— Marinum 4
——— Sulphureum 4
——— Tepidum 4
Ceratum simplex 5
Collyrium Aluminis 35
——— *Argenti Nitratis* 36

PAGE

Confectio Aluminis 5
——— Boracis 5
——— *Cinchonæ* 6
——— Cinchonæ Flavæ 6
——— *Ferri Potassio-tartratis* . . 6
——— Ferri Tartarati 6
——— Jalapæ 7
——— *Jalapæ composita* . . . 7
——— *Potassæ Bitartratis* . . . 7
——— Potassæ Tartratis Acidæ . . 7
——— Sulphuris 8
——— *Sulphuris composita* . . . 8
Decoctum Aloes compositum . . . 8
——— Hemidesmi compositum . . 9
——— *Sarsæ compositum* . . . 9
Enema Olei Ricini 10
——— Saponis 10
——— Sodii Chloridi 10
Fotus Belladonnæ 10
——— Papaveris 11
Gargarisma Aceticum 11
——— *Acidi Acetici* 11
——— *Acidi Hydrochlorici* . . . 12
——— Aluminis 11
——— Aluminis compositum . . 11
——— Capsici 12

PAGE

Gargarisma Hydrochloricum 12
——— Sodæ Chloratæ 12
——— *Sodæ Chlorinatæ* 12
Glycerinum Acidi Gallici 13
Haustus Acidi Gallici 13
——— Acidi Hydrocyanici 13
——— Acidi Nitro-hydrochlorici . . 14
——— Ætheris Ammoniatus 14
——— Aloes et Camphoræ 14
——— Ammoniaci Fœtidus 15
——— Ammoniæ Acetatis 15
——— Ammoniæ Acetatis cum Magnesiæ Sulphate 15
——— Ammoniæ Acetatis cum Scilla . 16
——— Ammoniæ Acetatis et Camphoræ . 16
——— Amygdalæ 16
——— Antimonii cum Magnesiæ Sulphate 17
——— *Aromaticus* 19
——— *Aromaticus cum Rheo* 20
——— Calumbæ Alkalinus 17
——— Calumbæ compositus 17
——— Camphoræ Fœtidus 18
——— Cascarillæ cum Scilla 18
——— Cinchonæ Acidus 18
——— *Cinchonæ compositus* 18
——— Colchici 19

PAGE

Haustus *Colchici compositus* . . . 19
——— Copaibæ compositus . . . 19
——— Cretæ Aromaticus . . . 19
——— Cretæ Aromaticus cum Opio . . 20
——— Cretæ Aromaticus cum Rheo . . 20
——— *Cretæ compositus* 20
——— *Emeticus* 22
——— Ferri et Ammoniæ Citratis . . 20
——— Gentianæ cum Rheo . . . 21
——— Gentianæ cum Senna . . . 21
——— Hemidesmi cum Potassii Iodido . 21
——— Ipecacuanhæ Emeticus . . . 22
——— Magnesiæ cum Soda . . . 22
——— Menthæ Sulphuricus . . . 22
——— Menthæ Sulphuricus cum Ferri Sulphate 23
——— Menthæ Sulphuricus cum Magnesiæ Sulphate 23
——— Morphiæ cum Ferro . . . 23
——— Morphiæ Hydrochloratis . . 24
——— Olei Morrhuæ 24
——— Olei Morrhuæ Alkalinus . . 25
——— Olei Ricini 25
——— Olei Ricini Alkalinus . . . 25
——— Potassæ Effervescens . . . 26
——— Potassii Iodidi Ammoniatus . . 26

PAGE

Haustus Quassiæ cum Ferro . . . 26
——— Quiniæ cum Ferro 27
——— Quiniæ cum Potassii Iodido . . 27
——— Quiniæ Sulphatis 27
——— Rhei cum Magnesia . . . 28
——— Scoparii compositus . . . 28
——— Sennæ compositus 28
——— Sodæ Effervescens 29
——— Sodæ Tartratis 29
——— *Sodæ Tartratis* 29
——— Terebinthinæ 30
——— Valerianæ cum Hyoscyamo . . 30
——— Zinci Emeticus 30
Linctus 31
Linctus cum Ipecacuanha 31
Linimentum Opii 32
——————— Plumbi 32
——————— *Plumbi cum Oleo* . . . 32
——————— Saponis compositum . . . 32
Liquor Ferri Tartarati 33
Lotio Accti 33
—— Acidi Carbolici 33
—— Acidi Hydrocyanici 34
—— Acidi Sulphurosi 34
—— Aluminis 34
—— Aluminis composita 34

PAGE

Lotio Aluminis mitior 35
—— Aluminis mitissima 35
—— Argenti Nitratis 35
—— Argenti Nitratis mitior . . . 36
—— Arnicæ 36
—— Atropiæ Sulphatis 36
—— Boracis cum Potassæ Chlorate . . 37
—— Cupri Sulphatis 37
—— Ferri Sulphatis 37
—— *Hydrargyri Bichloridi Amygdalina* . 38
—— Hydrargyri Perchloridi . . . 38
—— Hydrargyri Perchloridi Hydrocyanica 38
—— Opii 38
—— Plumbi 39
—— Plumbi Acetatis 39
—— Plumbi cum Opio 39
—— Potassæ Permanganatis . . . 39
—— Potassæ Sulphuratæ 40
—— *Potassii Sulphureti* 40
—— Quercus composita 40
—— Sodæ Chloratæ 40
—— Zinci Sulphatis 40
—— Zinci Sulphatis mitior . . . 41
Oleum Carbolatum 41
Pilula Aloes cum Nuce Vomica . . . 41
—— Aloes cum Sapone 42

PAGE

Pilula Camphoræ cum Hyoscyamo . . 42
—— Camphoræ cum Opio 42
—— Creasoti 43
—— Creasoti cum Assafœtida . . . 43
—— Elaterii composita 43
—— Ferri Redacti 44
—— Ferri Fœtida 44
—— Ferri Sulphatis 44
—— Hydrargyri cum Creta composita . 45
—— Hydrargyri cum Creta et Rhei . . 45
—— Hydrargyri cum Scilla . . . 45
—— Hydrargyri Perchloridi cum Belladonna 46
—— Hydrargyri Subchloridi cum Colocynthide 46
—— Hydrargyri Subchloridi cum Jalapa . 46
—— Hydrargyri Subchloridi cum Rheo . 47
—— Hydrargyri Subchloridi cum Scammonio 47
Potassa cum Calce 47
Potus Potassæ Chloratis 48
—— Potassæ Tartratis Acidæ . . . 48
Pulvis Cretæ Aromaticus cum Rheo . . 48
—— Emeticus 49
—— Rhei cum Potassæ Sulphate . . 49
Spiritus Ammoniæ Aromaticus . . . 49

PAGE

Spiritus Ammoniæ Fœtidus 50
——— Carui 50
——— Caryophylli 50
——— Cassiæ 51
——— Menthæ Piperitæ 51
——— Menthæ Viridis 51
Suppositorium Opii 51
Syrupus Papaveris 52
——— Rhœados 52
Unguentum Picis cum Plumbo . . . 53
Vinum Ferri 33
Vinum Ipecacuanhæ 53

PRINTED BY J. E. ADLARD, BARTHOLOMEW CLOSE